



SAFETY DATA SHEET

ACANA Fabric Moth Killer Spray

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ACANA Fabric Moth Killer Spray **Product number**
5060214390545, 5060214391108

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Moth Killer
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Acana Ltd.
Stanford House, 19
Castle Gate,
Nottingham,
NG1 7AQ,
UK
T: +44 (0) 115 824 9707
F: +44 (0) 115 824 9717
info@acana.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 115 824 9707
(08:00 - 16:00h Monday - Friday)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2.2. Label elements

Hazard pictograms



Signal word Warning

ACANA Fabric Moth Killer Spray

Hazard statements	<p>EUH208 Contains Geraniol, Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.</p> <p>H319 Causes serious eye irritation.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P391 Collect spillage.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Supplementary precautionary statements	<p>P273 Avoid release to the environment.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p>

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Alcohols, C16-18, ethoxylated (>2.5 moles EO) CAS number: 68439-49-6 EC number: 500-212-8	1 - <3%
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
3-Methoxy-3-methylbutan-1-ol CAS number: 56539-66-3 EC number: 260-252-4	1 - <3%
Classification Eye Irrit. 2 - H319	
Geraniol CAS number: 106-24-1 EC number: 203-377-1 REACH registration number: 01-2119552430-49-XXXX	0.5 - <1%
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317	

ACANA Fabric Moth Killer Spray

Propane-1,2-diol	0.5 - <1%
CAS number: 57-55-6	EC number: 200-338-0
Substance with National workplace exposure limits.	
Classification Not Classified	
Transfluthrin (ISO)	<0.1%
CAS number: 118712-89-3	EC number: 405-060-5
M factor (Acute) = 1000	M factor (Chronic) = 1000
Classification Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
Dipropylene glycol monomethyl ether	<0.025%
CAS number: 34590-94-8	EC number: 252-104-2
	REACH registration number: 01-2119450011-60-XXXX
Substance with National workplace exposure limits.	
Classification Not Classified	
5-Methylheptan-3-one	<0.025%
CAS number: 541-85-5	EC number: 208-793-7
Classification Flam. Liq. 3 - H226 Eye Irrit. 2 - H319 STOT SE 3 - H335	
Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	<15ppm
CAS number: 55965-84-9	EC number: 611-341-5
M factor (Acute) = 100	M factor (Chronic) = 100
Classification Acute Tox. 3 - H301 Acute Tox. 2 - H310 Acute Tox. 2 - H330 Skin Corr. 1C - H314 Eye Dam. 1 - H318 Skin Sens. 1A - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

ACANA Fabric Moth Killer Spray

Toluene	<0.025%
CAS number: 108-88-3	EC number: 203-625-9
Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304 Aquatic Chronic 3 - H412	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Symptoms following overexposure to vapour may include the following: Headache. Irritation of nose, throat and airway.
Ingestion	May cause discomfort if swallowed.
Skin contact	May cause discomfort. May cause skin sensitisation or allergic reactions in sensitive individuals. Mild dermatitis, allergic skin rash.
Eye contact	Irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

ACANA Fabric Moth Killer Spray

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances:
Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. For users with sensitive skin, it is recommended that suitable protective gloves are worn.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains and the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not empty into drains. Wear protective clothing as described in Section 8 of this safety data sheet. Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

ACANA Fabric Moth Killer Spray

Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Propane-1,2-diol

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Transfluthrin (ISO)

Long-term exposure limit (8-hour TWA): 4.7 mg/m³

Dipropylene glycol monomethyl ether

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³

Sk

5-Methylheptan-3-one

Long-term exposure limit (8-hour TWA): WEL 10 ppm 53 mg/m³

Short-term exposure limit (15-minute): WEL 20 ppm 107 mg/m³

Toluene

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³

Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

Geraniol (CAS: 106-24-1)

DNEL	Workers - Inhalation; Long term systemic effects: 161.6 mg/m ³
	Workers - Dermal; : 12.5 mg/kg/day
	Workers - Dermal; Long term local effects: 11800 µg/cm ²
	General population - Inhalation; Long term systemic effects: 47.8 mg/m ³
	General population - Dermal; Long term systemic effects: 7.5 mg/kg/day
	General population - Dermal; Long term local effects: 11800 µg/cm ²
PNEC	General population - Oral; Long term systemic effects: 13.75 mg/kg/day
	Fresh water; 0.011 mg/l
	Fresh water, Intermittent release; 0.108 mg/l
	marine water; 0.001 mg/l
	STP; 0.7 mg/l
	Sediment (Freshwater); 0.115 mg/kg
	Sediment (Marinewater); 0.011 mg/kg
Soil; 0.017 mg/kg	

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

ACANA Fabric Moth Killer Spray

Eye/face protection	Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	May cause skin sensitisation or allergic reactions in sensitive individuals. For users with sensitive skin, it is recommended that suitable protective gloves are worn.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Colourless liquid.
Colour	Colourless.
Odour	Lavender.
Odour threshold	Not available.
pH	Not available.
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Not known.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	No information required.
--------------------------	--------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	See the other subsections of this section for further details.
-------------------	--

ACANA Fabric Moth Killer Spray

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

ATE oral (mg/kg) 17,241.38

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary Causes serious eye irritation.

Respiratory sensitisation

Summary Based on available data the classification criteria are not met.

Skin sensitisation

Summary May cause skin sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

Carcinogenicity

Summary Based on available data the classification criteria are not met.

IARC carcinogenicity

Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

ACANA Fabric Moth Killer Spray

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

Aspiration hazard

Summary Based on available data the classification criteria are not met.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Symptoms following overexposure to vapour may include the following: Headache. Irritation of nose, throat and airway.

Ingestion

May cause discomfort if swallowed.

Skin contact

May cause sensitisation or allergic reactions in sensitive individuals. Allergic rash.

Eye contact

Irritating to eyes.

Route of exposure

Ingestion Inhalation Skin and/or eye contact

Target organs

No specific target organs known.

Toxicological information on ingredients.

Alcohols, C16-18, ethoxylated (>2.5 moles EO)

Acute toxicity - oral

Notes (oral LD₅₀) Harmful if swallowed.

ATE oral (mg/kg) 500.0

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Carcinogenicity

Carcinogenicity There is no evidence that the product can cause cancer.

Geraniol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 3600 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit REACH dossier information. Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Dose: 0.5 mL, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). Primary dermal irritation index: 3.3 REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

ACANA Fabric Moth Killer Spray

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information. Epidemiological studies have shown evidence of skin sensitisation.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity NOEL 2000 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Screening - NOAEL 300 mg/kg/day, Dermal, Rat P REACH dossier information. Based on available data the classification criteria are not met.

Reproductive toxicity - development Developmental toxicity: - NOAEL: 300 mg/kg/day, Dermal, Rat REACH dossier information. Based on available data the classification criteria are not met.

Transfluthrin (ISO)

Acute toxicity - oral

Notes (oral LD₅₀) > 5000 mg/kg, Rat, Raw material suppliers' information. Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) > 5000 mg/kg, Rat, Raw material suppliers' information. Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LD₅₀ >0.513 mg/l, (aerosol), Inhalation, Rat

Skin corrosion/irritation

Animal data Irritating.

Skin sensitisation

Skin sensitisation Buehler test - Guinea pig: Not sensitising. Raw material suppliers' information.

Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 64.0

Species Rat

Notes (oral LD₅₀) Toxic if swallowed.

ATE oral (mg/kg) 64.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 87.12

ACANA Fabric Moth Killer Spray

Species	Rat
Notes (dermal LD₅₀)	Toxic in contact with skin.
ATE dermal (mg/kg)	87.12
<u>Acute toxicity - inhalation</u>	
Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	0.171
Species	Rat
Notes (inhalation LC₅₀)	Fatal if inhaled.
ATE inhalation (dusts/mists mg/l)	0.171
<u>Skin corrosion/irritation</u>	
Animal data	Dose: 0.5 mL, 4 hours, Rabbit Corrosive to skin.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Dose: 0.1 mL, 7 days, Rabbit Causes serious eye damage.
<u>Skin sensitisation</u>	
Skin sensitisation	Local Lymph Node Assay (LLNA) - Mouse: Sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vivo	Chromosome aberration: Negative.
<u>Carcinogenicity</u>	
Carcinogenicity	NOEL 300 ppm, Oral, Rat
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Two-generation study - NOEL 30 ppm, Oral, Rat P
Reproductive toxicity - development	Maternal toxicity: - LOAEL: 28 mg/kg/day, Oral, Rat Embryotoxicity:, Teratogenicity: - NOEL: >= 19.6 mg/kg/day, Oral, Rat
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	NOEL 16.3 mg/kg/day, Oral, Rat NOEL 0.34 mg/m ³ , Inhalation, Rat

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity

Summary Very toxic to aquatic life.

Chronic aquatic toxicity

Summary Very toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

Alcohols, C16-18, ethoxylated (>2.5 moles EO)

Toxicity Based on available data the classification criteria are not met.

ACANA Fabric Moth Killer Spray

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 1 mg/l, Brachydanio rerio (Zebra Fish)

Geraniol

Toxicity Aquatic toxicity is unlikely to occur.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 22 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 10.8 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 13.1 mg/l, Desmodemus subspicatus

Transfluthrin (ISO)

Toxicity Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

LE(C)₅₀ 0.0001 < L(E)C₅₀ ≤ 0.001

M factor (Acute) 1000

Acute toxicity - fish LC₅₀, 96 hours: 0.0007 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.0017 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₂₀, 72 hours: >0.1 mg/l, Desmodemus subspicatus

Chronic aquatic toxicity

M factor (Chronic) 1000

Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Toxicity Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

LE(C)₅₀ 0.001 < L(E)C₅₀ ≤ 0.01

M factor (Acute) 100

Acute toxicity - fish LC₅₀, 96 hours: 0.19 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.16 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 6.3 µg/l, Skeletonema costatum

Acute toxicity - microorganisms EC₅₀, 3 hours: 4.5 mg/l, Activated sludge

Chronic aquatic toxicity

ACANA Fabric Moth Killer Spray

NOEC	0.0001 < NOEC ≤ 0.001
Degradability	Non-rapidly degradable
M factor (Chronic)	100
Chronic toxicity - fish early life stage	NOEC, 35 days: ≥ 46.4 µg/l, Brachydanio rerio (Zebra Fish)
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.1 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Alcohols, C16-18, ethoxylated (>2.5 moles EO)

Persistence and degradability The degradability of the product is not known.

Geraniol

Persistence and degradability The product is readily biodegradable.

Biodegradation Water - Degradation 90-100%: 3 days

Transfluthrin (ISO)

Persistence and degradability The product is not readily biodegradable.

Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Biodegradation Water - Degradation 62%: 29 days
Readily biodegradable but failing the 10-day window.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

Ecological information on ingredients.

Alcohols, C16-18, ethoxylated (>2.5 moles EO)

Bioaccumulative potential No data available on bioaccumulation.

Geraniol

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 2.6

Transfluthrin (ISO)

ACANA Fabric Moth Killer Spray

Bioaccumulative potential The product is not bioaccumulating. BCF: 1783, Fish

Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Bioaccumulative potential BCF: 41 - 54, Lepomis macrochirus (Bluegill)

Partition coefficient Pow: 0.326, 2.519

12.4. Mobility in soil

Mobility No data available.

Ecological information on ingredients.

Alcohols, C16-18, ethoxylated (>2.5 moles EO)

Mobility The product is soluble in water.

Geraniol

Mobility The product is soluble in water.

Adsorption/desorption coefficient Water - log Koc: 1.85 @ 25°C Estimated value.

Transfluthrin (ISO)

Mobility The product has poor water-solubility.

Adsorption/desorption coefficient Water - log Koc: 4.7 @ 20°C

Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Surface tension 73 mN/m @ 19.5°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

Alcohols, C16-18, ethoxylated (>2.5 moles EO)

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Geraniol

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Transfluthrin (ISO)

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

ACANA Fabric Moth Killer Spray

Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Reuse or recycle products wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

14.1. UN number

UN No. (ADR/RID)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
UN No. (ADN)	3082

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Transfluthrin (ISO), Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1))
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Transfluthrin (ISO), Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1))
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Transfluthrin (ISO), Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1))
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Transfluthrin (ISO), Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1))

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M6
ADR/RID label	9
IMDG class	9

ACANA Fabric Moth Killer Spray

ICAO class/division 9

ADN class 9

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number 90
(ADR/RID)

Tunnel restriction code (-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

ACANA Fabric Moth Killer Spray

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>IATA: International Air Transport Association.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>CAS: Chemical Abstracts Service.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>LC₅₀: Lethal Concentration to 50 % of a test population.</p> <p>LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>EC₅₀: 50% of maximal Effective Concentration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p>
Classification abbreviations and acronyms	<p>Eye Irrit. = Eye irritation</p> <p>Aquatic Acute = Hazardous to the aquatic environment (acute)</p> <p>Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p>
Classification procedures according to Regulation (EC) 1272/2008	<p>Eye Irrit. 2 - H319: : Calculation method. Aquatic Acute 1 - H400: Aquatic Chronic 1 - H410: : Calculation method.</p>
Training advice	Read and follow manufacturer's recommendations.
Revision date	06/08/2019
Revision	3
Supersedes date	02/03/2015
SDS number	2234

ACANA Fabric Moth Killer Spray

Hazard statements in full

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains Geraniol, Reaction mass of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-Methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.